Access 3000²



Access 3000², the world's most versatile paging messaging and control system. When there's no room for error, it delivers fast, accurate information to the palm of your hand, allowing you to focus on your number one priority - the emergency, patient, or the task-in-hand.

Multitone puts communications at the heart of your organisation, linking telephones, computer networks and specialist paging equipment together to deliver the fast, accurate transmission of time critical information to pagers, cordless handsets and even mobile phones.





Keeping You In Touch Wherever You Are

Your staff, individually, or as teams, need up to date information whether they're at their desks, mobile around the facility or outside the workplace. They need real-time access to information.

Access 3000² can do this! You can even link Access 3000² to national paging or mobile phone networks for both wide area paging and SMS messaging. So wherever you are, Access 3000² ensures the right message gets to the right person at the right time.

Messaging From Your PC

Multitone has developed specialist software enabling you to send messages directly from your PC. Just select the recipient or team from the built-in address book, type in your message and click on send. You no longer need to speak to an operator to send a paging call or SMS message.

Operating across TCP/IP it will run under Windows or as a web-based application, giving your whole team the benefit of instantaneous network communications.



Messaging From Alarms and Other Devices

Access 3000² can be connected to a wide range of devices to deliver faster more effective messaging:

- Nurse-call systems instant response to patient needs
- Personal security systems increasing safety in the workplace
- Critical monitoring equipment message delivery to the point of patient care.
- Computer based alarm systems fire, security, building management systems and process controls

Delivering Greater Value

As well as offering greater features and facilities, Multitone has developed new encoders using the latest hardware to deliver even greater performance in terms of message processing, queueing and transmission. Added to this is:

- A new Windows based Management Terminal. Running under Windows 98, 2000, NT and XP, it is easier to use, offers better call logging facilities and provides a platform for future system enhancements.
- The Operator Console has been redesigned, giving it a more modern look and feel.
- New Pagers The latest Multitone pagers have been redesigned using new plastics to reduce daily wear-and-tear and new software to provide more user options and greater functionality.

Full Cordless Integration

The Access 3000² is an investment in the future. Using the Access Integrator, seamless integration with Multitone's Access 5000 and Access 6000 integrated PBX/DECT systems is provided, delivering paging functionality on cordless phones, where the handset can be made to behave like a pager, allowing it to receive team calls, one-way speech and unobtrusive text messages.

System Networking

Multiple Access 3000² systems can be linked together to provide a seamless radio communication network across multiple sites.






Supporting Tried and Tested Technologies

Access 3000² continues to support many of the tried and tested features supported on the original Access 3000 system:

- Simple telephone interface Supporting new telephone interfaces Access 3000² will easily connect to any PABX.
- Closing contacts From a doorbell to a complex alarm system, this represents one of the simplest and most reli able forms of automated messaging.
- Standby systems Access 3000² has been designed to support system and transmitter hot standby to deliver a fully fault tolerant solution.





A Modular Solution Delivering Ultimate Flexibility

The convergence of PABX and IT systems allows Multitone to integrate totally with your applications to deliver time critical information where it is needed.


Access 3000² is a modular, highly versatile communications solution, combining advanced design with ease-of-use and it has enabled Multitone to deliver a highly cost-effective method of communicating for people who are constantly on the move.

Simply put Access 3000² delivers time-critical performance, low-cost messaging with total system integrity allowing your staff to be better equipped and more prepared when an emergency response is required.

The Modules

The versatility of Access 3000² is that you can pick and mix various system elements - or modules - according to your specific needs. Buy only what you want now. Change or add modules as your requirements grow.





Multitone Dect System

Process Monitoring


And many other computer based messaging applications.

Team Calls

Teams of pagers can be set up in Access 3000² so that all users within a team receive the same paging call. With just one paging call you can warn several people of a fire, medical alert, security breach or maintenance emergency. What is more the message can be reinforced with speech ensuring immediate action.



Putting wireless communications at the heart of your organisation



What More Could You Ask For?

Using advanced system modularity Access 3000² can be tailored precisely to your needs, whether you are a small hospital or a multi-site facility. Multitone has the experience, products and software to handle all your communication needs, integrating seamlessly with PBX's, PC networks, LANs, WANs, legacy system and a whole range of mobile devices.



Access 3000² Specification

Paging Capacity

The Access 3000² is available as a 500 user, 1500 user or 5000 user system

Team Capacity

500 User system 1500 User system 5000 User sy<u>stem</u>

Contacts for Automatic Paging

Encoder Direct line contact modules

Telephone System Access

Connection

Signalling

Module Capacity

Up to 31 modules

Databus Length

Up to 1km or extended using the Remote Link Controller

Call Formats Multitone digital POCSAG (CCIR No.1)

Call Types Tone and Numeric message Tone, Numeric, Fast Alpha message and voice Tone, Alphanumeric message and <u>voice</u>

Tone only Tone only/meet me Tone and voice



Call Priorities 4 levels - Emergency / High / Normal / Low

Radio Channels Up to 8 radio channels

Talkback (to operator)

PC, paging console, telephone or pager talkback is available Secure or permanent talkback channel monitoring is available

Talkthrough (to another pager)

PC, paging console or pager initiated

Absence (warns of absent pagers)

Self-registered absence by telephone, PC or paging console, for all pager types Rack-registered absence available

Transfer (paging call to another user)

Each user on the system can have a transfer permanently assigned. The transfer is automatically activated when absence is registered.

Optional Voltages 220-240V AC 50/60Hz 110-120V AC 50/60Hz

Multitone Electronics plc, Multitone House, Shortwood Copse Lane, Kempshott, Basingstoke, Hampshire, RG23 7NL Tel: +44 (0) 1256 320292 Fax: +44 (0) 1256 462643 E-mail: info@multitone.com Internet: www.multitone.com

UK Sales & Service Office, Unit 33, Geddes House, Kirkton North, Livingston, West Lothian, EH54 6GU Tel: +44 (0) 1506 418198 Fax: +44 (0) 1506 411711 E-mail: sales@multitone.com Internet: www.multitone.com

25 programmable teams with 250 team members 100 programmable teams with 1000 team members 100 programmable teams with 1000 team members

12 closing contacts Up to 16 contacts per interface with up to 992 contacts per system

Selector level Tie line Extension level (Not end-to-end) Dial Pulse (Not end-to-end) DTMF