

Centralisation and Management of Alarms

Centinel Centralised Alarms Management Solution



Communication Solutions for a Wireless World...



Reduce Costs, Improve Services and Deliver Alarms to a number of Communication Devices

In today's market, many companies are looking at ways to reduce costs, improve services and bring their alarm management to a central location.


With the influx of new systems, monitoring equipment and a variety of alarms, it is important that any alarm triggers the correct response to the right person or response team. This means ensuring an accurate message is delivered to a number of communication devices at any time of day and recording events as they happen...

CENTINEL - Centralised Alarms Management Solution from Multitone

The Centralised Alarms Management Solution (CENTINEL) brings new opportunities to reduce or eliminate multiple alarm management systems and monitoring points to one single alarm reception centre, ensuring fast, accurate responses to any emergency solution however complex. This can be achieved on small-scale sites to large multi-site companies or corporations depending on the business requirement.

With inbuilt integral resilience that will re-direct alarm calls through the most suitable route, alarms of all types can be sent quickly and accurately to one or many recipients, ensuring that the alarm is managed promptly and efficiently.

CENTINEL alarm messages may be audio, visual or mixed, and can be sent to a range of communication devices simultaneously. The user and administrator has an interactive interface that's easy to use. The system works over existing communication links and infrastructure such as LAN/WAN, Radio or PSTN and all links are monitored for reliability.



Examples of alarms, which can be centralised:

- Fire alarms
- Freezers
- Air conditioning
- Boiler Rooms
- Machinery
- Gas / vapour alarms
- Manufacturing, oil or food processing

- Greenhouses

- Doors
- Temperature Monitoring
- Fridges
- Security
- Intruder



Messaging Types / Alarm Presentation

CENTINEL incorporates many additional benefits, including the ability to send unsolicited messages to single or multiple alarm points at any location, by a variety of medias:

- SMS Text message to a cellular phone
- PMR Radios
- Scrollboards
- Printer output for performance evaluation
- Central Audio Terminal

- Email Message to a single or multiple addresses
- PC reporting
- Paging message to a user or team of users
- Tetra Radios

Any acknowledgement, request or initiated action can be logged and recorded.

stic Systems 925	ns Help	Msg1	Msg2	Msg3	Msg4	Mart	Msg6	Msg7	Msg8	Msg9		80		Close
		mogr	moge	mogo	mogr	mago	mogo	magn	mago	mago	-	uu	_	0,000
Startup Open Port 127.0.0.1:	6001													
Protocol 2 Selected														
Sending message 1	1000000-20000	DOINT	2.001.0	IDE 01-	CD. J.D.									
09:00 22/03/05 7 M	ANUAL CALL	PUINI												
09:00 22/03/05 7 M Sending message 1														
Sending message 1 09:00 22/03/05 7 M														
Sending message 1 09:00 22/03/05 7 M Sending message 2 20NE 7.05 ST P W	ANUAL CALL	POINT	2_001 F	FIRE 01<										
Sending message 1 09:00 22/03/05 7 M Sending message 2 20NE 7.05 ST P W Sending message 3	ANUAL CALL	POINT	2_001 F	FIRE 01<										
55 Sending message 1 55 09:00 22/03/05 7 M 58 Sending message 2 49 20NE 7.05 ST P W 5 Sending message 3 5 LG 389 SOCIAL CLU	ANUAL CALL	POINT	2_001 F	FIRE 01<										
Sending message 1 09:00 22/03/05 7 M Sending message 2 20NE 7.05 ST P W Sending message 3 LG389 SOCIAL CLU Sending message 6 09:12 22/03/05 7 0	ANUAL CALL ING SOCIAL I B ENTRANCI	L POINT CLUB <c E HALL</c 	2_001 F CR> <lf> <cr><lf< td=""><td>FIRE 01<</td><td>(CR><lf)< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></lf)<></td></lf<></cr></lf>	FIRE 01<	(CR> <lf)< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></lf)<>									
 Sending message 1 09:00 22/03/05 7 M Sending message 2 20NE 7.05 ST P W Sending message 3 LG 389 SOCIAL CLU Sending message 6 09:12 22/03/05 7 O Sending message 8 	ANUAL CALL ING SOCIAL I B ENTRANCI UTPUT GRO	L POINT CLUB <c E HALL</c 	2_001 F (R> <lf> (CR><li DISABLE</li </lf>	FIRE 01< F> D HEAL	(CR> <lf)< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></lf)<>									
Sending message 1 90:00 22/03/05 7 M Sending message 2 20NE 7.05 ST P W Sending message 3 LG389 SOCIAL CLU Sending message 6 08:12 22/03/05 7 0	ANUAL CALL ING SOCIAL I B ENTRANCI UTPUT GRO	L POINT CLUB <c E HALL</c 	2_001 F (R> <lf> (CR><li DISABLE</li </lf>	FIRE 01< F> D HEAL	(CR> <lf)< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></lf)<>									

Business Benefits

CENTINEL is easy to install and manage, delivering many business benefits:

- Messaging to multiple recipients
- Central display offers multi-functional messaging
- No private wires resulting in major cost savings
- Configurable alarm text for user-friendly text messaging
- Automatic routing for maximum resilience safety assurance
- Remote control of switches, valves or other control equipment
- One single management system eliminates multiple system costs
- Can replicate existing fire panels, no timely & costly staff re-training
- Robust and resilient GD92 ensures maximum protection and security
- Reduce or eliminate multiple maintenance costs and machines downtime
- Central display offers choice of alarm notifications flexibility for notifications
- Distributed logging/print out for SLA verification essential service requirement
- Alarm escalation No action results in escalated alarms an alarm will not be missed



Alarm Monitoring and Reporting

The system is very easy for staff to operate and provides added resilience via optional back-up bearers should any link fail and automatically re-routes the alarm and provides logs and statistical data.

🗿 Multilline Fleecommo - Englineering Interface 🕫 Multilline Electronics pir 1992, 2005	
the fait when the Tan Ant Deal Law Joing Char Western might	
📶 🔁 🔮 📜 💼 🔧 🖳 Contributes System 💌 Bernote Contention 💌 🛨	4
FOUT ALKS PERZ SNDT NOUT RAWT Acte Acte Index Index Acte Index	
Waiting to connect to 127.4.0.116000 Connected to 127.0.0.116000 Connected to 127.0.0.116000 Sectors and the sector in the secon in the sector in the sector in the sector in the sector in th	
99:63-99:62 TextBiss P3 519 Advances 20:62-99:62 TextBiss P3 520 Advances 20:62	
99203-599203 CAREX P1 518 LS8 1/1 "SP-4 2016 7.05 1F PWN6 SOCIAL CLUB (CR9:CEP) 99208/799203 TextIntsg // P1 521 LS8 1/1 "SP-4 2016 7.05 1F PWN6 SOCIAL CLUB (CR9:CEP) 99208/799203 TextIntsg // P1 521 LS8 1/1 "SP-4 2016 7.05 1F PWN6 SOCIAL CLUB (CR9:CEP) 99208/799203 TextIntsg // P1 521 LS8 1/1 "SP-4 Social curve (CR9:CEP) 99208/799203 TextIntsg // P1 521 LS8 1/1 "SP-4 Social curve (CR9:CEP) 99208/799203 TextIntsg // P1 521 LS8 1/1 "SP-4 Social curve (CR9:CEP) 99208/799203 TextIntsg // P1 521 LS8 1/1 "SP-4 Social curve (CR9:CEP) 99208/799203 TextIntsg // P1 521 LS8 1/2 "SP-4 Social curve (CR9:CEP) 99208/799203 You (CR9:CEP) Social curve (CR9:CEP) Social curve (CR9:CEP) Social curve (CR9:CEP) 99208/799203 You (CR9:CEP) Social curve (CR9:CEP) Social curve (CR9:CEP) Social curve (CR9:CEP) 99208/799203 You (CR9:CEP) Social curve (CR9:CEP) Social curve (CR9:CEP) Social curve (CR9:CEP)	
Arstant Dater. Quester. Indere. Diester. Ineen. Suite Stater. Satt. State	18 21 9 70 is st

GD92 Protocol

For the Emergency Services, the Home Office introduced a specification for emergency communications called GD 92. This protocol is resilient and robust and provides dynamic routing of messages over a variety of bearers to station end and terminal equipment to both internal and external sites. These bearers include:

- LAN / WAN networks

- ISDN and PSTN

- Radio networks
- GSM and Mobile Technologies

The Centralised Alarm Management Solution assures delivery of automated and coordinated manual responses, operational safety and security right across the organisation.

Head Office & International Multitone Electronics PLC Multitone House, Shortwood Copse Lane Kempshott Basingstoke, Hants, RG23 7NL

Tel: +44 (0)1256 320292 Fax: +44 (0)1256 462643 UK Sales & Service Office Multitone Electronics PLC Unit 33, Geddes House Kirkton North Livingston West Lothian EH54 6GU

Tel: +44 (0)1506 418198 Helpdesk: +44 (0)1506 460026 Fax: +44 (0)1506 411711 E-mail: info@multitone.com

Internet: www.multitone.com

Multiton Elektronik GmbH Dusseldorf, Germany

Multiton Electronik GmbH Vienna, Austria

PL0653 Issue No. 1